- 13. The system of claim 1, wherein the operations further comprise detecting a facial expression indicative of at least one or calm, joy, surprise, fear, anger, disgust, trust, shame, contempt, anticipation, and sadness.
- **14.** The system of claim **13**, wherein the operations further comprise adjusting the difficulty of a game based on the facial expression.
- 15. The system of claim 1, wherein the computing device is one of a smart phone or tablet.
- 16. The system of claim 1, wherein the computing device comprises a virtual reality headset.
- 17. The system of claim 1, wherein the computing device enables the user to configure which input commands correspond to which facial movements.
- 18. The system of claim 1, wherein the capture sensor is a camera.
- 19. The system of claim 1, wherein the capture sensor is capable of detecting heat, air pressure, infrared light, sound, electromagnetic waves, or light emission.
  - 20. A computer-implemented method comprising:
  - receiving, from a capture sensor, information indicative of a state of the face of the user;
  - determining that the user is performing one of a predetermined set of facial movements based on the information:
  - determining an input command based the determined facial movement; and
  - executing the input command on the computing device.
- 21. The computer-implemented method of claim 1, wherein the operations further comprise locating a cursor on a user interface of the computing device based on a position of a chin or a nose of the user.
- 22. The computer-implemented method of claim 1, wherein the facial movement include at least one of inflating a cheek of the user, sticking out of a tongue of the user, pursing lips of the user, rubbing the lips together, a lipstick pose, a kiss pose, smiling, raising eyebrows, and expanding corners of the lips.
- 23. The computer-implemented method of claim 1, wherein the operations further comprise detecting a facial

- expression indicative of at least one or calm, joy, surprise, fear, anger, disgust, trust, shame, contempt, anticipation, and sadness.
- **24**. The computer-implemented method of claim 1, wherein the computing device enables the user to configure which input commands correspond to which facial movements.
- 25. A non-transitory computer storage medium having instructions stored thereon which, when executed by the one or more processors, cause a computing device computer to perform operations comprising:
  - receiving, from a capture sensor, information indicative of a state of the face of the user;
  - determining that the user is performing one of a predetermined set of facial movements based on the information;
  - determining an input command based the determined facial movement; and
  - executing the input command on the computing device.
- 26. The non-transitory computer storage medium of claim 1, wherein the operations further comprise locating a cursor on a user interface of the computing device based on a position of a chin or a nose of the user.
- 27. The non-transitory computer storage medium of claim 1, wherein the facial movement include at least one of inflating a cheek of the user, sticking out of a tongue of the user, pursing lips of the user, rubbing the lips together, a lipstick pose, a kiss pose, smiling, raising eyebrows, and expanding corners of the lips.
- 28. The non-transitory computer storage medium of claim 1, wherein the operations further comprise detecting a facial expression indicative of at least one or calm, joy, surprise, fear, anger, disgust, trust, shame, contempt, anticipation, and sadness.
- 29. The non-transitory computer storage medium of claim 1, wherein the computing device enables the user to configure which input commands correspond to which facial movements.

\* \* \* \* \*